

## TEGERA® 2805

Synthetic glove, nitrile, fully dipped, smooth finish, cotton, Cat. II, blue, oil and grease resistant, for allround work

### PROPERTIES

Durable

### SPECIFICATION

TYPE OF GLOVE All-round work gloves, Heavy duty gloves

CATEGORY Cat. II

SIZE RANGE (EU) 8, 10

DIPPING Fully dipped

DIPPING MATERIAL Nitrile

LINING MATERIAL Cotton

DEXTERITY 4

GRIP PATTERN Smooth finish

CUFF MATERIAL Textile

LENGTH RANGE 240-270 mm

COLOUR Blue

PAIRS PER PACKAGE/CARTON 12/72

PIECES PER BOX 0

DISPLAY Bulk pack

OUTER MATERIAL SPECIFICATION Nitrile

INNER MATERIAL SPECIFICATION Cotton



SIZE	ART. NO.	EAN NO.
8	2805-8	7392626036581
10	2805-10	7392626280595

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

## TEGERA® 2805

### FEATURES

Oil and grease resistant, water and oil repellent, water repellent, moisture resistant

### PREVENTS RISK OF

Abrasion injuries, grazes, scratches, lacerations, contact with dirt, contact with moisture, contact with damp, contact with oil and fat

### PRIMARY ENVIRONMENTS OF USE

Wet environments, moist environments, oily and greasy environments, dirty environments

### PRIMARY AREAS OF USE

Building and construction, concrete work, construction, engineering, installation work, machine driving, machine operating, mining, sheet-metal work, soil preparation, tiling

### PRIMARY INDUSTRIES OF USE

Agriculture, mining, oil, gas, petrochemical, pulp and paper, metal fabrication, machinery and equipment, MRO, automotive, transportation, utilities, building and construction

### TYPE OF WORK

Medium weight

 Cat. II

EN 420:2003  
+ A1:2009



EN 388:2016  
4X21B



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2021-08-26

**ejendals**  
PROTECTING HANDS AND FEET

**EJENDALS AB**

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com

## TEGERA® 2805

### EU-TYPE EXAMINATION

2777 Satra Technology Europe Ltd Bracetown Business Park, Clonee, Dublin 15, Dublin, Ireland

### COMPLIANCE DESCRIPTION

EN 388:2016 Protective gloves against mechanical risks

Property	Level Achieved	(Maximum Performance)
a) Resistance to abrasion (No. of revolutions)	4	(4)
b) Cut resistance (Index)	X	(5)
c) Tear resistance (N)	2	(4)
d) Puncturing resistance (N)	1	(4)
e) Cut resistance, EN ISO 13997 (N)	B	(F)
f) Impact protection, EN 13594:2015		(P)

### EN 388 – Testing

(specifies the requirements that apply for each safety level).

Level of protection/Performance level	1	2	3	4	5
a) Resistance to abrasion (No. of revolutions)	100	500	2000	8000	
b) Cut resistance (Index)	1,2	2,5	5,0	10,0	20,0
c) Tear resistance (N)	10	25	50	75	
d) Puncturing resistance (N)	20	60	100	150	

Level of protection/Performance level	A	B	C	D	E	F
e) Cut resistance, EN ISO 13997 (N)	2	5	10	15	22	30

Level of protection/Performance level	P
f) Impact protection, EN 13594:2015	Pass (Level 1 ≤ 9 kN)

EN 420:2003 + A1:2009 Protective gloves - general requirements and test methods

EU 2016/425



CE Cat. II

EN 420:2003  
+ A1:2009



EN 388:2016  
4X21B



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2021-08-26

**ejendals**  
PROTECTING HANDS AND FEET

**EJENDALS AB**

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com