TEGERA®

TEGERA® 511

Leather glove, full grain goatskin, cotton, Cat. II, black, white, reinforced fingertips, elasticated 180°, for assembly work

PROPERTIES

Good fingertip sensitivity, flexible, durable, good grip, good fit

SPECIFICATION

TYPE OF GLOVE **All-round work gloves, Assembly gloves**

CATEGORY **Cat. II**

SIZE RANGE (EU) **6, 7, 8, 9, 10, 11, 12**

PALM MATERIAL **Full grain goatskin**

BACK MATERIAL **Cotton**

DEXTERITY **5**

FASTENING **Elasticated 180°**

LENGTH RANGE **220-280 mm**

COLOUR **Black, White**

PAIRS PER PACKAGE/CARTON **12/120**

PIECES PER BOX **0**

DISPLAY **Hook with hangtag**

SIZE	ART. NO.	EAN NO.
6	511-6	7340118362489
7	511-7	7340118362571
8	511-8	7340118362663
9	511-9	7340118362755
10	511-10	7340118362847
11	511-11	7340118362939
12	511-12	7340118363028

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

TEGERA®

TEGERA® 511

FEATURES
Reinforced fingertips, specially designed thumb

PREVENTS RISK OF
Prevents risk of:, abrasion injuries, blisters, grazes, scratches, lacerations, contact with dirt

PRIMARY ENVIRONMENTS OF USE
Dry environments, clean environments, dirty environments

PRIMARY AREAS OF USE
Airport work, assembly, building and construction, carpentry, engineering, inspection work, installation work, machine driving, repair work, soil preparation, tiling, transport work, warehouse work

PRIMARY INDUSTRIES OF USE
Automotive, transportation, building and construction, logistics, facilities, retail

TYPE OF WORK
Medium weight

CE Cat. II

EN 420:2003
+ A1:2009

EN 388:2016
2111X

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2021-06-18

ejendals
PROTECTING HANDS AND FEET

EJENDALS AB
Box 7, SE-793 21 Leksand, Sweden
Phone +46 (0) 247 360 00
Fax +46 (0) 247 360 10
info@ejendals.com
order@ejendals.com
www.ejendals.com

TEGERA®

TEGERA® 511

EU-TYPE EXAMINATION

2777 Satra Technology Europe Ltd Bracetown Business Park, Clonee, Dublin 15, Dublin, Ireland

COMPLIANCE DESCRIPTION

EN 420:2003 + A1:2009 Protective gloves - general requirements and test methods

EU 2016/425

EN 388:2016 Protective gloves against mechanical risks

Property	Level Achieved	(Maximum Performance)
a) Resistance to abrasion (No. of revolutions)	2	(4)
b) Cut resistance (Index)	1	(5)
c) Tear resistance (N)	1	(4)
d) Puncturing resistance (N)	1	(4)
e) Cut resistance, EN ISO 13997 (N)	X	(F)
f) Impact protection, EN 13594:2015		(P)

EN 388 – Testing
(specifies the requirements that apply for each safety level).

Level of protection/Performance level	1	2	3	4	5
a) Resistance to abrasion (No. of revolutions)	100	500	2 000	8 000	
b) Cut resistance (Index)	1,2	2,5	5,0	10,0	20,0
c) Tear resistance (N)	10	25	50	75	
d) Puncturing resistance (N)	20	60	100	150	

Level of protection/Performance level	A	B	C	D	E	F
e) Cut resistance, EN ISO 13997 (N)	2	5	10	15	22	30

Level of protection/Performance level	P
f) Impact protection, EN 13594:2015	Pass (Level 1 ≤ 9 kN)

CE Cat. II

EN 420:2003 + A1:2009 EN 388:2016 2111X

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2021-06-18

ejendals
PROTECTING HANDS AND FEET

EJENDALS AB
Box 7, SE-793 21 Leksand, Sweden
Phone +46 (0) 247 360 00
Fax +46 (0) 247 360 10
info@ejendals.com
order@ejendals.com
www.ejendals.com