



## TEGERA® 514

Leather glove, full grain goatskin, cotton, Cat. II, black, green, white, reinforced index finger, reinforced fingers and thumb, elasticated 180°, for assembly work

### PROPERTIES

Good fingertip sensitivity, flexible, durable, good grip, good fit

### SPECIFICATION

TYPE OF GLOVE All-round work gloves, Assembly gloves

CATEGORY Cat. II

SIZE RANGE (EU) 6, 7, 8, 9, 10, 11, 12

PALM MATERIAL Full grain goatskin

BACK MATERIAL Cotton

DEXTERITY 5

CUFF STYLE Safety cuff

CUFF MATERIAL Textile

FASTENING Elasticated 180°

LENGTH RANGE 220-280 mm

COLOUR Black, Green, White

PAIRS PER PACKAGE/CARTON 12/120

PIECES PER BOX 0

DISPLAY Thread

| SIZE | ART. NO. | EAN NO.       |
|------|----------|---------------|
| 6    | 514-6    | 7340118363806 |
| 7    | 514-7    | 7340118363899 |
| 8    | 514-8    | 7340118363981 |
| 9    | 514-9    | 7340118364070 |
| 10   | 514-10   | 7340118364162 |
| 11   | 514-11   | 7340118364254 |
| 12   | 514-12   | 7340118364346 |

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

## TEGERA® 514

### FEATURES

Reinforced index finger, reinforced fingers and thumb, specially designed thumb

### PREVENTS RISK OF

Prevents risk of: abrasion injuries, blisters, grazes, scratches, lacerations, contact with dirt

### PRIMARY ENVIRONMENTS OF USE

Dry environments, warm environments, harsh environments

### PRIMARY AREAS OF USE

Airport work, assembly, building and construction, carpentry, construction, engineering, installation work, machine driving, machine operating, transport work, warehouse work

### PRIMARY INDUSTRIES OF USE

Mining, automotive, transportation, utilities, building and construction

### TYPE OF WORK

Medium weight

 Cat. II

EN 420:2003  
+ A1:2009



EN 388:2016  
2111X



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2021-06-18

  
PROTECTING HANDS AND FEET

### EJENDALS AB

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com

# TEGERA® 514

## EU-TYPE EXAMINATION

2777 Satra Technology Europe Ltd Bracetown Business Park, Clonee, Dublin 15, Dublin, Ireland

## COMPLIANCE DESCRIPTION

EN 420:2003 + A1:2009 Protective gloves - general requirements and test methods

EU 2016/425

EN 388:2016 Protective gloves against mechanical risks

| Property                                       | Level Achieved | (Maximum Performance) |
|--|----------------|-----------------------|
| a) Resistance to abrasion (No. of revolutions) | 2              | (4)                   |
| b) Cut resistance (Index)                      | 1              | (5)                   |
| c) Tear resistance (N)                         | 1              | (4)                   |
| d) Puncturing resistance (N)                   | 1              | (4)                   |
| e) Cut resistance, EN ISO 13997 (N)            | X              | (F)                   |
| f) Impact protection, EN 13594:2015            |                | (P)                   |

## EN 388 – Testing

(specifies the requirements that apply for each safety level).

| Level of protection/Performance level          | 1   | 2   | 3     | 4     | 5    |
|--|-----|-----|-------|-------|------|
| a) Resistance to abrasion (No. of revolutions) | 100 | 500 | 2 000 | 8 000 |      |
| b) Cut resistance (Index)                      | 1,2 | 2,5 | 5,0   | 10,0  | 20,0 |
| c) Tear resistance (N)                         | 10  | 25  | 50    | 75    |      |
| d) Puncturing resistance (N)                   | 20  | 60  | 100   | 150   |      |

| Level of protection/Performance level | A | B | C  | D  | E  | F  |
|---------------------------------------|---|---|----|----|----|----|
| e) Cut resistance, EN ISO 13997 (N)   | 2 | 5 | 10 | 15 | 22 | 30 |

| Level of protection/Performance level | P                     |
|---------------------------------------|-----------------------|
| f) Impact protection, EN 13594:2015   | Pass (Level 1 ≤ 9 kN) |



CE Cat. II

EN 420:2003  
+ A1:2009



EN 388:2016  
2111X



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2021-06-18

**ejendals**  
PROTECTING HANDS AND FEET

**EJENDALS AB**

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com