
# Speckle Pendants Lamps

### Assembly manual





# General Instructions PLEASE READ BEFORE INSTALLATION

### WARNING:

The safety of this fitting can only be guaranteed if the following instructions are observed during both installation and use. Please retain these instructions safely after installation.

### PLEASE OBSERVE THE FOLLOWING GUIDELINES:

- Ensure that the power supply has been switched off prior to installation or removal of the product.
- Never undertake an electrical installation without the proper knowledge or training. If not familiar with electrical wiring, contact a qualified electrician.
- The product may in no way be modified or tampered with. Any modification may compromise safety
  and make the product itself dangerous to use. FERM LIVING does not accept any responsibility for
  products that have been modified.
- Dry locations only
- Pour emplacements secs seulement
- This product must be installed in accordance with the applicable installation code by a person familiar with the construction and operation of the product and the hazards involved.
   Ce produit doit être installé selon le code d'installation pertinent, par une personne qui connaît bien le produit et son fonctionnement ainsi que les risques inhérents
- Caution:risk of fire-use

Max. Incandescent lamp, type a,1x40w or sbled, 1x12w.

Attention: risque d'incendie

Utiliser uniquement des ampoules de max 40w de type a ou 12w Sbled lampe.

### **CLEANING INSTRUCTIONS:**

Use only a soft cloth to clean the product. Dampen the cloth with water and soap or a mild cleanser
if needed.

### MORE INFORMATION:

To access further information such as product overview and material descriptions, please visit our website at www.fermliving.com. If you have any questions or comments, please do not hesitate to contact us at info@fermliving.com.

### **Technical Specifications**

### SPECKLE PENDANTS

Voltage: 110-120V - 60Hz

Dimmable: No

Certification: UL, IP20, Class II
Socket: E26 socket base

**Recommended light source:** Incandescent lamp, Type A 1x40W or SBLED, 1x12W

(Light bulb not included).


3


2

### **BOX CONTENT**

## **Assembly Process**







Needed tools


Screws driver

Unscrew the locking bolt from the canopy.


## **Assembly Process**

## **Assembly Process**

2



3



 $\label{eq:makeronnect} \textit{Make connect to the main supply using suitable nuts N. White, L, Black, Green/yellow (grey), GND. \\ \textit{Screw the canopy bracket to the junctions box in the ceiling using two screws.}$ 

Push the canopy up to desired position, so that it conceals the ceiling bracket. Tighten the bolt until the canopy is held in place.

