# Vuelta wall lamp

ASSEMBLY MANUAL



# ferm
L I V I N G

# General Instructions
## PLEASE READ BEFORE INSTALLATION

**WARNING:**

The safety of this fitting can only be guaranteed if the following instructions are observed during both installation and use. Please retain these instructions safely after installation.

**PLEASE OBSERVE THE FOLLOWING GUIDELINES:**

Ensure that the power supply has been switched off prior to installation or removal of the product. Never undertake an electrical installation without the proper know ledge or training. If not familiar with electrical wiring, contact a qualified electrician.
The product may in no way be modified or tampered with. Any modification may compromise safety and make the product itself dangerous to use. FERM LIVING does not accept any responsibility for products that have been modified.
The light source in this product cannont be replaced..
This product is meant for indoor use only.
This appliance should not be disposed in a domestic trash receptacle and should instead be recycled appropriately.

**CLEANING INSTRUCTIONS:**

Use only a soft cloth to clean the product. Dampen the cloth with water and soap or a mild cleanser if needed.

**MORE INFORMATION:**

To access further information such as product overview and material descriptions, please visit our website at www.fermliving.com. If you have any questions or comments, please do not hesitate to contact us at info@fermliving.com.

# Technical Specifications

**VUELTA WALL 40**

| | |
|---|---|
| Rated Power: | 15w |
| Lumen output at maximum: | 1200lm |
| CCT: | 3000k |
| CRI: | >90 |
| Rated Voltage: | 120V AC |
| Frequency: | 60Hz |
| Certification: | ETL |
| Dimension: | 404x84x114mm |

# BOX CONTENT

1x
Lamp

1x
Remote control

1x
Philips head
screwdriver

2x
Machine screw

1x
Glove

2x
Raw plugs Ø8mm
*(not suitable for drywalls)*

2x
Screws

1x
End cap

## NEEDED TOOLS

Electrical drill

Pencil

Ruler

Spirit level

# ASSEMBLY PROCESS

**1**

Unscrew the 4 screws and remove the wall bracket using the enclosed screwdriver.

**2**

Mount the wall bracket to the junction box with 2 existing screws. Or drill two holes where the lamp is to be placed. (Use an electrical drill) Set up the wall bracket with appropriate screws and two wallplugs.

**3**



Push the lamp onto the wall
bracket and mount the lamp to
the wall bracket using the 4 set
screws and enclosed screwdriver.

The lamp can now be plugged in.

# OPTIONAL HARDWIRE INSTALLATION

Turn your power off during installation

**4**

**HARDWIRE CONNECTION**

L N SW

GND

**GND**

C

A

For hardwire installation, please make sure to follow the relevant law/legislation regarding electrical installation.

**A.** Remove the cord from the connector.

**B.** The power cables must be connected to the N & L (grey connector) and the green-yellow wire to the body of the lamp.

**C.** Block the hole with the enclosed end cap.

**Warning:** When choosing hard wire installation, the white dimmer cable must not be used.

# HOW TO USE THE REMOTE CONTROL

**5**

Before using the remote, please remove the battery from the control unit and remove the protective cardboard disc that is placed under the battery.

**On/Off.** Turns lamp on at saved brightness level / brightness level will be saved when turning off lamp

Use a coin to replace battery.
**CR2025 3V**

⊕ Increase light intensity

⊖ Decrease light intensity

**Please note: If you use the wall switch to turn the lamp on and off, the lamp will return to the last saved brightness level.**

# REMOTE CONTROL PAIRING

This pairing operation is not required unless you want to control multiple lamps (max 3 lamps) with the same remote control, or you need to reset your remote.

LAMP 1    LAMP 2    LAMP 3

**How to Pair:**
1. Turn off the lamps power at its electrical power supply.

2. Turn it on again. In the first 10 seconds, push the following sequence of buttons: on/off, +, -. Once the pairing has been done successfully, the lamp will flicker 1 time.

fermliving.com